

NAG Library Function Document

nag_prob_non_central_f_dist (g01gdc)

1 Purpose

nag_prob_non_central_f_dist (g01gdc) returns the probability associated with the lower tail of the noncentral F or variance-ratio distribution.

2 Specification

```
#include <nag.h>
#include <nagg01.h>
```

```
double nag_prob_non_central_f_dist (double f, double df1, double df2,
    double lambda, double tol, Integer max_iter, NagError *fail)
```

3 Description

The lower tail probability of the noncentral F -distribution with ν_1 and ν_2 degrees of freedom and noncentrality parameter λ , $P(F \leq f : \nu_1, \nu_2; \lambda)$, is defined by

$$P(F \leq f : \nu_1, \nu_2; \lambda) = \int_0^x p(F : \nu_1, \nu_2; \lambda) dF,$$

where

$$P(F : \nu_1, \nu_2; \lambda) = \sum_{j=0}^{\infty} e^{-\lambda/2} \frac{(\lambda/2)^j}{j!} \times \frac{(\nu_1 + 2j)^{(\nu_1+2j)/2} \nu_2^{\nu_2/2}}{B((\nu_1 + 2j)/2, \nu_2/2)} \\ \times u^{(\nu_1+2j-2)/2} [\nu_2 + (\nu_1 + 2j)u]^{-(\nu_1+2j+\nu_2)/2}$$

and $B(\cdot, \cdot)$ is the beta function.

The probability is computed by means of a transformation to a noncentral beta distribution:

$$P(F \leq f : \nu_1, \nu_2; \lambda) = P_{\beta}(X \leq x : a, b; \lambda),$$

where $x = \frac{\nu_1 f}{\nu_1 f + \nu_2}$ and $P_{\beta}(X \leq x : a, b; \lambda)$ is the lower tail probability integral of the noncentral beta distribution with parameters a , b , and λ .

If ν_2 is very large, greater than 10^6 , then a χ^2 approximation is used.

4 References

Abramowitz M and Stegun I A (1972) *Handbook of Mathematical Functions* (3rd Edition) Dover Publications

5 Arguments

1: **f** – double

Input

On entry: f , the deviate from the noncentral F -distribution.

Constraint: $f > 0$.

- 2: **df1** – double *Input*
On entry: the degrees of freedom of the numerator variance, ν_1 .
Constraint: $0.0 < \mathbf{df1} \leq 10^6$.
- 3: **df2** – double *Input*
On entry: the degrees of freedom of the denominator variance, ν_2 .
Constraint: **df2** > 0.0.
- 4: **lambda** – double *Input*
On entry: λ , the noncentrality parameter.
Constraint: $0.0 \leq \mathbf{lambda} \leq -2.0 \log(U)$ where U is the safe range parameter as defined by nag_real_safe_small_number (X02AMC).
- 5: **tol** – double *Input*
On entry: the relative accuracy required by you in the results. If nag_prob_non_central_f_dist (g01gdc) is entered with **tol** greater than or equal to 1.0 or less than $10 \times \mathbf{machine\ precision}$ (see nag_machine_precision (X02AJC)), then the value of $10 \times \mathbf{machine\ precision}$ is used instead.
- 6: **max_iter** – Integer *Input*
On entry: the maximum number of iterations to be used.
Suggested value: 500. See nag_prob_non_central_chi_sq (g01gcc) and nag_prob_non_central_beta_dist (g01gec) for further details.
Constraint: **max_iter** ≥ 1 .
- 7: **fail** – NagError * *Input/Output*
The NAG error argument (see Section 3.6 in the Essential Introduction).

6 Error Indicators and Warnings

NE_CONV

The solution has failed to converge in $\langle \mathit{value} \rangle$ iterations, consider increasing **max_iter** or **tol**.

NE_INT_ARG_LT

On entry, **max_iter** = $\langle \mathit{value} \rangle$.
Constraint: **max_iter** ≥ 1 .

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

NE_PROB_F

The required probability cannot be computed accurately. This may happen if the result would be very close to zero or one. Alternatively the values of **df1** and **f** may be too large. In the latter case you could try using a normal approximation, see Abramowitz and Stegun (1972).

NE_PROB_F_INIT

The required accuracy was not achieved when calculating the initial value of the central F or χ^2 probability. You should try a larger value of **tol**. If the χ^2 approximation is being used then nag_prob_non_central_f_dist (g01gdc) returns zero otherwise the value returned should be an approximation to the correct value.

NE_REAL_ARG_CONS

On entry, **df1** = $\langle value \rangle$.

Constraint: $0.0 < \mathbf{df1} \leq 10^6$.

On entry, **df1** = $\langle value \rangle$.

Constraint: **df1** > 0.0.

On entry, **lambda** = $\langle value \rangle$.

$0.0 \leq \mathbf{lambda} \leq -2.0 \log(U)$, where U is the safe range parameter as defined by nag_real_safe_small_number (X02AMC)

NE_REAL_ARG_LE

On entry, **df2** = $\langle value \rangle$.

Constraint: **df2** > 0.0.

On entry, **f** = $\langle value \rangle$.

Constraint: **f** > 0.0.

7 Accuracy

The relative accuracy should be as specified by **tol**. For further details see nag_prob_non_central_chi_sq (g01gcc) and nag_prob_non_central_beta_dist (g01gec).

8 Further Comments

When both ν_1 and ν_2 are large a Normal approximation may be used and when only ν_1 is large a χ^2 approximation may be used. In both cases λ is required to be of the same order as ν_1 . See Abramowitz and Stegun (1972) for further details.

9 Example

This example reads values from, and degrees of freedom for, F -distributions, computes the lower-tail probabilities and prints all these values until the end of data is reached.

9.1 Program Text

```

/* nag_prob_non_central_f_dist (g01gdc) Example Program.
 *
 * Copyright 2000 Numerical Algorithms Group.
 *
 * NAG C Library
 *
 * Mark 6, 2000.
 */

#include <stdio.h>
#include <nag.h>
#include <nagx04.h>
#include <nagg01.h>

int main(int argc, char *argv[])
{
    FILE      *fpin, *fpout;
    Integer   exit_status = 0, max_iter;
    NagError  fail;
    double    df1, df2, f, lambda, prob, tol;

    INIT_FAIL(fail);

    /* Check for command-line IO options */
    fpin = nag_example_file_io(argc, argv, "-data", NULL);
    fpout = nag_example_file_io(argc, argv, "-results", NULL);
    fprintf(fpout,

```

```

    "nag_prob_non_central_f_dist (g01gdc) Example Program Results\n");

/* Skip heading in data file */
fscanf(fpin, "%*[\n]");

fprintf(fpout, "\n      f          df1      df2      lambda      prob\n\n");
tol = 5e-6;
max_iter = 50;
while ((fscanf(fpin, "%lf %lf %lf %lf %*[\n]",
              &f, &df1, &df2, &lambda)) != EOF)
{
    /* nag_prob_non_central_f_dist (g01gdc).
     * Computes probabilities for the non-central F-distribution
     */
    prob = nag_prob_non_central_f_dist(f, df1, df2, lambda, tol, max_iter,
                                      &fail);
    if (fail.code != NE_NOERROR)
    {
        fprintf(fpout,
                "Error from nag_prob_non_central_f_dist (g01gdc).\n%s\n",
                fail.message);
        exit_status = 1;
        goto END;
    }
    fprintf(fpout, "%8.3f %8.3f %8.3f %8.3f %8.4f\n", f, df1, df2, lambda,
            prob);
}
END:
if (fpin != stdin) fclose(fpin);
if (fpout != stdout) fclose(fpout);
return exit_status;
}

```

9.2 Program Data

```

nag_prob_non_central_f_dist (g01gdc) Example Program Data
  5.5   1.5   25.5   3.0           :f df1 lambda
 39.9   1.0    1.0   2.0           :f df1 lambda
  2.5  20.25   1.0   0.0           :f df1 lambda

```

9.3 Program Results

```

nag_prob_non_central_f_dist (g01gdc) Example Program Results

```

| f | df1 | df2 | lambda | prob |
|--------|--------|--------|--------|--------|
| 5.500 | 1.500 | 25.500 | 3.000 | 0.8214 |
| 39.900 | 1.000 | 1.000 | 2.000 | 0.8160 |
| 2.500 | 20.250 | 1.000 | 0.000 | 0.5342 |
